

Secondary Math 1  
Chapter 7 Practice Test

Name \_\_\_\_\_  
Period \_\_\_\_\_ Date \_\_\_\_\_

Find the mean, median, mode, and range for the following sets of data (problems 1-4):

1. Hours spent listening to music in one week:  
22, 5, 22, 25, 9, 18, 26

Mean: 18.14  
Median: 22  
Mode: 22  
Range: 21

2. Ages of people in a beginner swimming class:  
6, 3, 8, 17, 19, 5, 13

Mean: 10.14  
Median: 8  
Mode: no mode  
Range: 16

3. Car speeds in miles per hour observed by a highway patrol officer:  
60, 53, 53, 52, 53, 55, 55, 57

Mean: 54.75  
Median: 54  
Mode: 53  
Range: 8

4. The cost of 8 different pairs of pants at a department store:  
\$40, \$32, \$20, \$15, \$20, \$24, \$37, \$27

Mean: 26.875  
Median: 25.5  
Mode: 20  
Range: 25

5. The mean salary of all the employees at two different insurance companies is the same. Given the following standard deviation of each company, which company has a greater spread of salaries?

Company A: \$15,000

Company B: \$20,000

Use the table below and find the sample size, mean, and standard deviation for the data set.

6. 1, 6, 7, 4, 2

$n = 5$

$\bar{x} = 4$

Standard Deviation:

2.28

*see key with work for full table*

$x$	$(x - \bar{x})$	$(x - \bar{x})^2$	Sum of $(x - \bar{x})^2$	$\frac{\text{sum}}{n}$	$\sqrt{\frac{\text{sum}}{n}}$
1	-3	9			
6	2	4			

see key with work for table <sup>full</sup>

7. 3, 10, 4, 4, 7

$n = 5$

$\bar{x} = 5.6$

Standard Deviation:

2.58

$x$	$(x - \bar{x})$	$(x - \bar{x})^2$	Sum of $(x - \bar{x})^2$	$\frac{\text{sum}}{n}$	$\sqrt{\frac{\text{sum}}{n}}$
3	-2.6	6.76			
10	4.4	19.36			

Find the range, interquartile range, and 5-number summary for each of the following sets of data, then draw a Box-and-Whisker plot.

8. Hours of television watched last weekend: 6, 1, 3, 8, 5, 11, 1, 5

5 number summary:

Range: 10

Interquartile Range (IQR): 5

minimum = 1


$Q_1 = 2$

median = 5

$Q_3 = 7$

maximum = 11

~~\_\_\_\_\_~~



9. Minutes it takes to get to school: 1, 3, 5, 3, 8, 7, 6, 8, 4, 6

5 number summary:

Range: 7

Interquartile Range (IQR): 4

min = 1


$Q_1 = 3$

median = 5.5


$Q_3 = 7$

max = 8

~~\_\_\_\_\_~~



10. The accompanying box-and-whisker plot represents the cost, in dollars, of twelve different CD's.



- a) What is the sample size? 12
- b) Which cost is the upper quartile( $Q_3$ )? \$26
- c) What is the range of the costs of the CD's? \$22
- d) What is the median? \$20.50
- e) What percent of CD's cost between \$14.50 and \$26.00? 50%
- f) How many CD's cost less than \$14.50? 3
- g) What is the interquartile range(IQR)? \$11.50

For 11 and 12, Calculate if the data sets have any outliers. (Show your work!!)

11.  $Q_1 = 54, Q_2 = 69, Q_3 = 78$

12. 44, 67, 52, 72, 82, 55, 70, 200, 55, 57, 6

Lower Boundary: 18

Lower Boundary: 22

Upper Boundary: 114

Upper Boundary: 102

According to your results, would 194 be an outlier?

yes


Outliers? 6 and 200

13. 86, 75, 72, 78, 81, 78, 88, 74, 74, 78, 77, 70, 77

14. Create a box plot (or **modified** box plot if there are outliers) using the data from #13.

Lower Boundary: 65.75


Upper Boundary: 87.75




Outliers? 88

For each of the following draw a dot plot of the given data. Be sure to label your axes well.

15. Average text messages sent per day: 0,10,10,10,10,20,20,20,20,30,50,50,50,90,100,100



16. Number of pets: 1, 3, 4, 0, 2, 1, 0, 1, 3, 1, 0, 0, 2, 2, 5



For each of the following, graph a histogram for the given data. Be sure to label your axes well.

17. Test scores:



46, 90, 28, 56, 80, 78, 100, 100, 66, 86, 66, 70, 96,  
76, 62, 44, 102, 82, 80, 109, 99

(Use intervals of 9 numbers, starting with 28-36)

18. Scores on a 30 point quiz:

25, 29, 29, 26, 30, 28, 25, 18, 28, 22, 29, 30,  
28, 20, 30, 22, 21, 28, 29, 30, 27, 25, 28, 26

(Use intervals of 3 numbers)



a) What type of distribution does this data have?

skewed left (almost symmetric though)

b) What measure of center should you use for the data?

median

c) What measure of center should you use for the data?

IQR

d) Fill in the blank below with  $<$ ,  $>$ , or  $=$

Mean  $<$  Median

a) Distribution?

skewed left

b) Measure of center to use?

median

c) Measure of spread to use?

IQR

d) Fill in the blank below with  $<$ ,  $>$ , or  $=$

Mean  $<$  Median

Answer questions 19-22 based on the following data set:

5, 8, 9, 7, 10, 6, 25

19. Find the mean and median of the data set. Then find the mean and median of the data excluding the outlier.

Mean: 10

Mean without outlier: 7.5

Median: 8

Median without outlier: 7.5

20. Which is more affected by the outlier: the mean or the median? mean

21. Which number better represents the data: the mean or the median? (before removing the outlier) Explain.

I would say median because the mean is too high to be a good representation.

22. What would the shape of this data be? Explain.

Skewed Right. The outlier is on the right and the mean is greater than the median.


For each of the following graphs:

a) Determine the shape of the data (symmetrical, skewed left, or skewed right)

b) Determine which measurements of center and spread (mean and standard deviation OR median and 5-number summary/IQR) should be used to represent the data.

c) Determine if the mean is greater than (>), less than (<), or about the same as (=) the median.

23.




a) Shape: skewed right

b) Center: median Spread: IQR

c) Mean > Median

24.




a) Shape: symmetric

b) Center: mean Spread: standard deviation

c) Mean = Median

25.




a) Shape: skewed left

b) Center: median Spread: IQR

c) Mean < Median

26.



a) Shape: symmetric

b) Center: mean Spread: standard deviation

c) Mean = Median

27. A student has the following scores throughout the term, calculate the mean for each category:

Homework = 85, 73, 92, 95, 86, 92, 100, 89, 93, 80

mean = 88.5

Classwork = 87, 95, 84, 100, 100, 91

mean = 92.83

Tests = 92, 86, 97

mean = 91.67

Term grades in this class are calculated with the following weights:

Category Weights	
Homework	30%
Classwork	15%
Tests	55%

Calculate this student's term grade:

90.89

28. The table shows the scores of a geometry test for 24 students. What is the average score per student?

Test scores	# Students
100	2
95	3
90	4
85	4
80	5
75	2
70	4

83.96

29. You participate in robotics contest that is judged using the following criteria:

Robotics Categories	
Overall Performance	30%
Complexity of Task	20%
Software	15%
Hardware	15%
Creativity	20%

Your scores (rated on a scale of 1-5) are:  
 Overall performance = 5, Complexity = 4,  
 Software = 4, Hardware = 3, Creativity = 5

Calculate your (mean) average score:

4.34

30. Maggie recently took a road trip. She bought 11 gallons of gasoline for \$1.93 per gallon and 13 gallons for \$2.13. She filled her tank once on the way back with 17 gallons at \$1.95 per gallon. What was the average fuel cost per gallon on Maggie's trip?

About \$2.00  
per gallon